

# Puraflo<sup>®</sup>

Peat Fiber Biofilter

## Type B Drain Piping Manual

**DISTRIBUTOR FOR PENNSYLVANIA  
MOUNTAIN WASTEWATER  
MANAGEMENT  
570-896-0262  
[WWW.MOUNTAINWASTEWATER.COM](http://WWW.MOUNTAINWASTEWATER.COM)**




Only modules bearing the NSF<sup>®</sup> logo and designated P150N\*XX are certified to NSF/ANSI Standard 40



©2018 Anua 1-2018

336.547.9338 ■ [anuainternational.com](http://anuainternational.com)


NOTE: Not to scale




**NOTES:**

1. All piping and fittings <3 inch diameter must be a minimum schedule 40 rated.
2. Minimum pipe size diameter from module to main line is 1.5 inches.
3. Minimum main line diameter to sample chamber is 3 inches.

NOTE: Not to scale



NOTE:  
Threaded inserts not used for drainage (opposite those in use). Must be plugged.



**DISTRIBUTOR FOR PENNSYLVANIA  
MOUNTAIN WASTEWATER  
MANAGEMENT  
570-896-0262  
WWW.MOUNTAINWASTEWATER.COM**



P.O. Box 77457  
Greensboro, NC 27417

T 336.547.9338  
F 336.547.8559  
anuainternational.com

